

View Online at <https://aerobasegroup.com/nsn/5340-00-495-0424>

First Leg Length:

Between 1.220 inches and 1.280 inches

Second Leg Length:

Between 1.220 inches and 1.280 inches

Second Leg Width:

Between 1.970 inches and 2.030 inches

Second Leg Corner Radius:

Between 0.060 inches and 0.180 inches

First Leg Hole Diameter:

Between 0.276 inches and 0.286 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.970 inches and 1.030 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.475 inches and 0.535 inches

Second Leg Slot Length:

Between 1.220 inches and 1.280 inches

Second Leg Slot Width:

Between 0.220 inches and 0.280 inches

First Leg Thickness:

Between 0.119 inches and 0.131 inches

Second Leg Thickness:

Between 0.119 inches and 0.131 inches

First Leg Width:

Between 1.970 inches and 2.030 inches

First Leg Corner Radius:

Between 0.060 inches and 0.180 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.970 inches and 1.030 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.470 inches and 0.530 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

One slot

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Heat Treatment:

Annealed

Material:

Steel comp 302

Surface Treatment:

Passivate

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0