NSN 5340-00-514-1334

Angle Bracket - Page 1 of 2

Mounting Hole Type:





| mounting hole type. |
|--|
| Plain |
| First Leg Length: |
| 0.685 inches |
| Second Leg Length: |
| 0.748 inches |
| Reinforcement Method (non-core): |
| Rib stiffener both sides |
| Second Leg Width: |
| 0.750 inches |
| First Leg Hole Diameter: |
| 0.204 inches |
| Second Leg Hole Diameter: |
| Between 0.130 inches and 0.135 inches |
| Second Leg Distance Between Hole Centers Along Width: |
| 0.374 inches |
| Second Leg Distance From Edge To Hole Center Along Width: |
| 0.188 inches |
| Second Leg Distance From Edge To Hole Center Along Length: |
| 0.312 inches |
| First Leg Thickness: |
| 0.040 inches |
| Second Leg Thickness: |
| 0.040 inches |
| First Leg Width: |
| 0.750 inches |
| First Leg Distance From Edge To Hole Center Along Width: |
| 0.375 inches |
| First Leg Distance From Edge To Hole Center Along Length: |
| 0.312 inches |
| First Leg End Radius: |
| 0.440 inches |
| Second Leg End Radius: |
| 0.440 inches |
| First Leg Style: |
| End radius |
| First Leg Hole Arrangement Style: |
| One hole |
| Second Leg Style: |
| End radius |
| Second Leg Hole Arrangement Style: |
| Two holes |
| |

NSN 5340-00-514-1334

Angle Bracket - Page 2 of 2



Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-250/5 t4 federal specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A042a0