

View Online at <https://aerobasegroup.com/nsn/5340-00-521-4479>

Cross Sectional Shape:

Flat

Width:

1.000 inches

End Radius:

0.281 inches

Mounting Hole Diameter:

Between 0.359 inches and 0.454 inches

Mounting Hole Quantity:

2

Plate Thickness:

0.048 inches

Distance Between Mounting Hole Centers:

Between 2.368 inches and 2.378 inches

End Application:

W/s: truck, cargo, dropside 2 1/2-ton 6x6 w/e; truck, cargo, dropside, xlwb, 5-ton, 6x6 (m814, m927, m928); truck, cargo, dropside, 5-ton, 6x6 (m813a1, m-923, , -925); truck, dump, 5-ton, 6x6 (m929, m930); truck, cargo, dropside 2 1/2-ton 6x6 w/e; truck, wrecker, 5-ton (m936); truck, dump, 20-tonj, dsl drv, 12 cu yd, f5070; maint facility, night sight (nsmf), tam e10227; heavy equipment truck tractor, m1070; truck, tractor, 5-ton (m818, m931); fighting vehicle systems, bradley (bfvs)

Center Radius:

0.500 inches

Angle Between Ears In Deg:

210.0

Angle From Horizontal Centerline To Ear In Deg:

75.0

Prebent Locking Feature Location:

End hole

Ear Width:

0.250 inches

Special Features:

Mounting hole 0.281 in. Radii from center line

Material:

Steel; sae 1009-1020

Material:

Steel; sae 1009-1020

Style Designator:

Floating

Fsc Application Data:

Universal joint, power transmission

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T319-c