

View Online at <https://aerobasegroup.com/nsn/5340-00-523-0924>

**Thread Class:**

3a rod connection

**Thread Direction:**

Right-hand rod connection

**Thread Length:**

1.281 inches rod connection and 1.344 inches rod connection

**Shank Length:**

Between 1.281 inches and 1.344 inches

**Hole Diameter:**

Between 0.3125 inches and 0.3140 inches

**Shank Diameter:**

0.250 inches

**Overall Width:**

Between 0.428 inches and 0.448 inches

**End Radius:**

Between 0.365 inches and 0.385 inches

**Metallic Hardness Rating:**

34.0 rockwell c and 38.0 rockwell c

**Fork Span Width:**

Between 0.190 inches and 0.195 inches

**Distance From Pivot Pinhole Center To Rod Connection End:**

Between 2.250 inches and 2.312 inches

**Fork Arm Thickness:**

0.115 mils and 0.135 centimeters

**Fork Depth:**

Between 0.625 inches and 0.688 inches

**Thread Size:**

0.250 inches rod connection

**Material:**

Steel comp 4130

**Material Specification:**

Mil-s-6758, cond d military specification single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Qq-p-416 federal specification single treatment response

**Style Designator:**

Clevis

**Thread Series Designator:**

Unf rod connection

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A264a0

**Mil-std (military Standard):**

Mil-s-6758 spec.