

View Online at <https://aerobasegroup.com/nsn/5340-00-526-2080>

**Fabrication Method (non-core):**

Stamped

**First Leg Length:**

0.560 inches

**Second Leg Length:**

0.880 inches

**Second Leg Width:**

1.650 inches

**Second Leg End Width:**

0.990 inches

**First Leg Hole Diameter:**

Between 0.169 inches and 0.177 inches

**Second Leg Hole Diameter:**

Between 0.169 inches and 0.177 inches

**Second Leg Distance Between Hole Centers Along Width:**

0.750 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.440 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.191 inches

**First Leg Thickness:**

0.040 inches

**Second Leg Thickness:**

0.040 inches

**First Leg Width:**

1.650 inches

**First Leg Distance Between Hole Centers Along Width:**

1.312 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.160 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.279 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square and tapered

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Heat Treatment:**

T-3 solution heat treated

**Material:**

Aluminum alloy 2024

**Material Specification:**

Qq-a-250/5, alclad t3 federal specification single material response

**Surface Treatment:**

Chromate

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0