

View Online at <https://aerobasegroup.com/nsn/5340-00-526-2080>

Fabrication Method (non-core):

Stamped

First Leg Length:

0.560 inches

Second Leg Length:

0.880 inches

Second Leg Width:

1.650 inches

Second Leg End Width:

0.990 inches

First Leg Hole Diameter:

Between 0.169 inches and 0.177 inches

Second Leg Hole Diameter:

Between 0.169 inches and 0.177 inches

Second Leg Distance Between Hole Centers Along Width:

0.750 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.440 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.191 inches

First Leg Thickness:

0.040 inches

Second Leg Thickness:

0.040 inches

First Leg Width:

1.650 inches

First Leg Distance Between Hole Centers Along Width:

1.312 inches

First Leg Distance From Edge To Hole Center Along Width:

0.160 inches

First Leg Distance From Edge To Hole Center Along Length:

0.279 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square and tapered

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Heat Treatment:

T-3 solution heat treated

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-250/5, alclad t3 federal specification single material response

Surface Treatment:

Chromate

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0