

View Online at <https://aerobasegroup.com/nsn/5340-00-526-2335>

Fabrication Method (non-core):

Stamped

First Leg Length:

1.560 inches

Second Leg Length:

2.030 inches

Reinforcement Method (non-core):

Turned edge

Second Leg Width:

1.500 inches

Second Leg End Width:

0.750 inches

First Leg Hole Diameter:

0.199 inches

Second Leg Hole Diameter:

0.140 inches

Second Leg Distance Between Hole Centers Along Length:

1.150 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.370 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Thickness:

0.030 inches

Second Leg Thickness:

0.030 inches

First Leg Width:

1.820 inches

First Leg End Width:

0.810 inches

First Leg Distance From Edge To Hole Center Along Width:

0.405 inches

First Leg Distance From Edge To Hole Center Along Length:

0.310 inches

First Leg Style:

Square and tapered

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square and tapered

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 302

Material Specification:

Mil-s-5059 military specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-s-5059 spec.