

View Online at <https://aerobasegroup.com/nsn/5340-00-529-1482>

Fabrication Method (non-core):

Machined

First Leg Length:

0.640 inches

Second Leg Length:

0.780 inches

Second Leg Width:

1.700 inches

Second Leg Corner Radius:

0.260 inches

First Leg Hole Diameter:

Between 0.128 inches and 0.134 inches

Second Leg Hole Diameter:

Between 0.190 inches and 0.195 inches

Second Leg Distance Between Hole Centers Along Width:

1.180 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.260 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.260 inches

First Leg Thickness:

0.050 inches

Second Leg Thickness:

0.050 inches

First Leg Width:

1.000 inches

First Leg Corner Radius:

0.260 inches

First Leg Distance Between Hole Centers Along Width:

0.480 inches

First Leg Distance From Edge To Hole Center Along Width:

0.260 inches

First Leg Distance From Edge To Hole Center Along Length:

0.260 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-250/5, alclad t3 federal specification single material response

Surface Treatment:

Zinc

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0