NSN 5340-00-547-7253

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-547-7253

Febrication Mathed (non-coro)
Fabrication Method (non-core):
Stamped
First Leg Length:
0.750 inches
Second Leg Length:
0.594 inches
Second Leg Width:
1.187 inches
Second Leg Corner Radius:
0.250 inches
First Leg Hole Diameter:
Between 0.192 inches and 0.196 inches
Second Leg Hole Diameter:
0.098 inches
Second Leg Distance Between Hole Centers Along Width:
0.375 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.250 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.250 inches
First Leg Thickness:
0.040 inches
Second Leg Thickness:
0.040 inches
First Leg Width:
1.187 inches
First Leg Distance From Edge To Hole Center Along Width:
0.312 inches
First Leg Distance From Edge To Hole Center Along Length:
0.312 inches
First Leg End Radius:
0.312 inches
First Leg Style:
End radius
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
Corner radius
Second Leg Hole Arrangement Style:
Two holes
Second Leg Relationship To First Leg:
Not identical

# NSN 5340-00-547-7253

Angle Bracket - Page 2 of 2



# First Leg Angle:

90.0 degrees

#### Material:

Aluminum alloy 2024

# Material Specification:

Qq-a-250/5, t42 federal specification single material response

#### Surface Treatment:

Chromate zinc

# Surface Treatment Specification:

Tt-p-1757 federal specification single treatment response

#### Style Designator:

Angle

Shelf Life:

N/a

#### Unit Of Measure:

---

## Demilitarization:

No

### Fiig:

A042a0