

View Online at <https://aerobasegroup.com/nsn/5340-00-576-3255>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

Between 0.696 inches and 0.728 inches

**Second Leg Length:**

Between 1.630 inches and 1.650 inches

**Second Leg Width:**

Between 0.550 inches and 0.570 inches

**First Leg Hole Diameter:**

Between 0.216 inches and 0.226 inches

**Second Leg Hole Diameter:**

Between 0.339 inches and 0.349 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.280 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.280 inches

**First Leg Thickness:**

Between 0.056 inches and 0.068 inches

**Second Leg Thickness:**

Between 0.056 inches and 0.068 inches

**Center Section Height:**

Between 0.490 inches and 0.510 inches

**Center Section Width:**

Between 0.550 inches and 0.570 inches

**Center Section Thickness:**

Between 0.056 inches and 0.068 inches

**First Leg Width:**

Between 0.550 inches and 0.570 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.280 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg End Radius:**

Between 0.422 inches and 0.453 inches

**Second Leg End Radius:**

0.280 inches

**First Leg Style:**

End radius

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

99.0 degrees

**Material:**

Steel comp 410

**Material Specification:**

Ams 5504 assn standard single material response

**Surface Treatment:**

Passivate

**Style Designator:**

Double angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0