

View Online at <https://aerobasegroup.com/nsn/5340-00-582-3975>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

Between 0.530 inches and 0.550 inches

**Second Leg Length:**

0.710 inches

**Second Leg Width:**

1.420 inches

**First Leg Hole Diameter:**

0.281 inches

**Second Leg Hole Diameter:**

0.281 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.710 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.300 inches

**First Leg Thickness:**

Between 0.071 inches and 0.085 inches

**Second Leg Thickness:**

Between 0.071 inches and 0.085 inches

**First Leg Width:**

1.420 inches

**First Leg Corner Radius:**

Between 0.200 inches and 0.220 inches

**First Leg Distance Between Hole Centers Along Width:**

1.000 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.200 inches and 0.220 inches

**First Leg Distance From Edge To Hole Center Along Length:**

Between 0.200 inches and 0.220 inches

**Second Leg End Radius:**

0.710 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Steel

**Material Specification:**

B50t13a, general electric co. Mfr ref single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0