

View Online at <https://aerobasegroup.com/nsn/5340-00-592-7785>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

1.393 inches

**Second Leg Length:**

1.755 inches

**Second Leg Width:**

2.000 inches

**Second Leg Corner Radius:**

0.455 inches

**First Leg Hole Diameter:**

Between 0.339 inches and 0.349 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.455 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.775 inches

**Second Leg Slot Length:**

Between 0.030 inches and 0.040 inches

**Second Leg Slot Width:**

Between 0.390 inches and 0.400 inches

**First Leg Thickness:**

Between 0.085 inches and 0.101 inches

**Second Leg Thickness:**

Between 0.085 inches and 0.101 inches

**First Leg Width:**

2.519 inches

**First Leg Corner Radius:**

0.281 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

0.977 inches

**First Leg Distance Between Second And Third Hole Centers Along Width:**

0.980 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.281 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.281 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

Three holes

**Second Leg Style:**

Corner radius

**Second Leg Relationship To First Leg:**

Identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Second leg contains two vertical slots

**Material:**

Steel comp 410

**Material Specification:**

Ams 5504 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0