NSN 5340-00-594-8447

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-594-8447

Fabrication Method (non-core):

Machined

Mounting Hole Type:

Plain

First Leg Length:

Between 0.911 inches and 1.003 inches

Second Leg Length:

Between 2.086 inches and 2.149 inches

Second Leg Width:

3.625 inches

Second Leg Corner Radius:

Between 0.281 inches and 0.344 inches

First Leg Hole Diameter:

Between 0.339 inches and 0.349 inches

Second Leg Hole Diameter:

Between 0.214 inches and 0.224 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

1.547 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

1.547 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.281 inches and 0.344 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.281 inches and 0.344 inches

First Leg Thickness:

Between 0.087 inches and 0.099 inches

Second Leg Thickness:

Between 0.087 inches and 0.099 inches

First Leg Width:

Between 3.746 inches and 3.870 inches

First Leg Corner Radius:

Between 0.219 inches and 0.281 inches

First Leg Distance Between Hole Centers Along Width:

3.308 inches

First Leg Distance Between First And Second Hole Centers Along Width:

1.102 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

1.104 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.219 inches and 0.281 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.219 inches and 0.281 inches

NSN 5340-00-594-8447 Angle Bracket - Page 2 of 2



First Leg Style:
Corner radius
First Leg Hole Arrangement Style:
Four holes
Second Leg Style:
Corner radius
Second Leg Hole Arrangement Style:
Three holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Special Features:
2 holes 0.339 in. Min and 0.349 in. Maximum located on second leg
Material:
Steel comp 4130
Material Specification:
Ams 6350 assn standard single material response
Surface Treatment:
Cadmium
Surface Treatment Specification:
Ams 2400 assn standard single treatment response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0