

View Online at <https://aerobasegroup.com/nsn/5340-00-596-4923>

**Thread Class:**

2a rod connection

**Thread Direction:**

Right-hand rod connection

**Thread Length:**

2.750 inches rod connection

**Shank Length:**

3.100 inches

**Hole Diameter:**

Between 0.312 inches and 0.318 inches

**Shank Diameter:**

Between 0.739 inches and 0.748 inches

**Overall Height:**

1.750 inches

**Overall Width:**

1.750 inches

**End Radius:**

0.940 inches

**End Application:**

Uaircraft, b-2 bomber (atb), support equipment, t-37aircraft, support equipment, t-38 aircraft, engine, aircraft, f110-ge-100/129 (f-16c/d), aircraft, stratolifter c-135, support equipment, f-106 aircraft, aircraft, thunderbolt ii, a-10

**Fork Span Width:**

Between 0.995 inches and 1.010 inches

**Securing Pin Hole Diameter:**

Between 0.312 inches and 0.318 inches

**Distance From Center Of Securing Pin Hole To Rod End:**

5.880 inches

**Distance From Pivot Pinhole Center To Rod Connection End:**

5.880 inches

**Fork Arm Thickness:**

0.377 inches

**Fork Depth:**

2.000 inches

**Thread Size:**

0.750 inches rod connection

**Material:**

Steel comp 1212 or steel comp 5015

**Material Specification:**

Aisi/sae assn standard 1st material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Qq-p-416, type 2, class 1 federal specification single treatment response

**Style Designator:**

Clevis

**Thread Series Designator:**

Unf rod connection

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A264a0