

View Online at <https://aerobasegroup.com/nsn/5340-00-598-6190>

**First Leg Length:**

1.8120 inches

**Second Leg Length:**

1.4370 inches

**Second Leg Width:**

0.7500 inches

**First Leg Hole Diameter:**

Between 0.404 inches and 0.413 inches

**Second Leg Hole Diameter:**

Between 0.217 inches and 0.225 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.3750 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.3750 inches

**First Leg Thickness:**

Between 0.055 inches and 0.065 inches

**Second Leg Thickness:**

Between 0.055 inches and 0.065 inches

**First Leg Width:**

0.7500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.3750 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.3750 inches

**First Leg End Radius:**

Between 0.459 inches and 0.531 inches

**Second Leg End Radius:**

Between 0.459 inches and 0.531 inches

**First Leg Style:**

End radius

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Heat treatment: quenched and tempered

**Material:**

Steel

**Material Specification:**

Ams6350, cond a assn standard single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Ams 2400 assn standard single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0