

View Online at <https://aerobasegroup.com/nsn/5340-00-598-6190>

First Leg Length:

1.8120 inches

Second Leg Length:

1.4370 inches

Second Leg Width:

0.7500 inches

First Leg Hole Diameter:

Between 0.404 inches and 0.413 inches

Second Leg Hole Diameter:

Between 0.217 inches and 0.225 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.3750 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.3750 inches

First Leg Thickness:

Between 0.055 inches and 0.065 inches

Second Leg Thickness:

Between 0.055 inches and 0.065 inches

First Leg Width:

0.7500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.3750 inches

First Leg Distance From Edge To Hole Center Along Length:

0.3750 inches

First Leg End Radius:

Between 0.459 inches and 0.531 inches

Second Leg End Radius:

Between 0.459 inches and 0.531 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Heat treatment: quenched and tempered

Material:

Steel

Material Specification:

Ams6350, cond a assn standard single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Ams 2400 assn standard single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0