NSN 5340-00-598-8250

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-598-8250

First Leg Length:

Between 0.615 inches and 0.635 inches

Second Leg Length:

Between 0.620 inches and 0.640 inches

Second Leg Width:

Between 0.995 inches and 1.005 inches

Second Leg Corner Radius:

Between 0.230 inches and 0.270 inches

First Leg Hole Diameter:

Between 0.194 inches and 0.214 inches

Second Leg Hole Diameter:

Between 0.194 inches and 0.214 inches

Second Leg Distance Between Hole Centers Along Width:

Between 0.495 inches and 0.505 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.230 inches and 0.270 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.230 inches and 0.270 inches

First Leg Thickness:

Between 0.053 inches and 0.073 inches

Second Leg Thickness:

Between 0.053 inches and 0.073 inches

First Leg Width:

Between 0.995 inches and 1.005 inches

First Leg Corner Radius:

Between 0.230 inches and 0.270 inches

First Leg Distance Between Hole Centers Along Width:

Between 0.495 inches and 0.505 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.230 inches and 0.270 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.230 inches and 0.270 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Identical

NSN 5340-00-598-8250

Angle Bracket - Page 2 of 2

A042a0



First Leg Angle:
90.0 degrees
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-250/5, alclad t3 federal specification single material response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Filg: