

View Online at <https://aerobasegroup.com/nsn/5340-00-602-1762>

Fabrication Method (non-core):

Machined

First Leg Length:

1.600 inches

Second Leg Length:

2.149 inches

Second Leg Width:

1.900 inches

Second Leg Corner Radius:

0.300 inches

First Leg Slot Length:

Between 0.990 inches and 1.010 inches

First Leg Slot Width:

Between 0.330 inches and 0.350 inches

Second Leg Hole Diameter:

Between 0.339 inches and 0.349 inches

Second Leg Distance Between Hole Centers Along Width:

0.979 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.300 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.300 inches

First Leg Thickness:

Between 0.085 inches and 0.101 inches

Second Leg Thickness:

Between 0.085 inches and 0.101 inches

First Leg Width:

1.900 inches

First Leg Corner Radius:

0.300 inches

First Leg End Width:

0.850 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.368 inches and 0.398 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.645 inches and 0.695 inches

First Leg Style:

Angle

First Leg Hole Arrangement Style:

One slot

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 410

Material Specification:

Ams 5504 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0