NSN 5340-00-602-1762

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-602-1762

Fabrication Method (non-core):
Machined
First Leg Length:
1.600 inches
Second Leg Length:
2.149 inches
Second Leg Width:
1.900 inches
Second Leg Corner Radius:
0.300 inches
First Leg Slot Length:
Between 0.990 inches and 1.010 inches
First Leg Slot Width:
Between 0.330 inches and 0.350 inches
Second Leg Hole Diameter:
Between 0.339 inches and 0.349 inches
Second Leg Distance Between Hole Centers Along Width:
0.979 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.300 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.300 inches
First Leg Thickness:
Between 0.085 inches and 0.101 inches
Second Leg Thickness:
Between 0.085 inches and 0.101 inches
First Leg Width:
1.900 inches
First Leg Corner Radius:
0.300 inches
First Leg End Width:
0.850 inches
First Leg Distance From Edge To Hole Center Along Width:
Between 0.368 inches and 0.398 inches
First Leg Distance From Edge To Hole Center Along Length:
First Leg Distance From Edge To Hole Center Along Length: Between 0.645 inches and 0.695 inches
First Leg Distance From Edge To Hole Center Along Length: Between 0.645 inches and 0.695 inches First Leg Style:
First Leg Distance From Edge To Hole Center Along Length: Between 0.645 inches and 0.695 inches First Leg Style: Angle
First Leg Distance From Edge To Hole Center Along Length: Between 0.645 inches and 0.695 inches First Leg Style:

Corner radius

NSN 5340-00-602-1762 Angle Bracket - Page 2 of 2



Second Leg Hole Arrangement Style:
Two holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Material:
Steel comp 410
Material Specification:
Ams 5504 assn standard single material response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: