

View Online at <https://aerobasegroup.com/nsn/5340-00-606-9815>

Fabrication Method (non-core):

Stamped

First Leg Length:

0.800 inches

Second Leg Length:

1.000 inches

Second Leg Width:

0.460 inches

First Leg Hole Diameter:

Between 0.189 inches and 0.194 inches

Second Leg Hole Diameter:

Between 0.189 inches and 0.194 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.230 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

0.460 inches

First Leg Distance From Edge To Hole Center Along Width:

0.230 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg End Radius:

0.230 inches

Second Leg End Radius:

0.230 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

127.0 degrees

Material:

Steel comp 4130

Material Specification:

Mil-s-18729, cond n military specification single material response

Surface Treatment:

Nickel

Surface Treatment Specification:

Mil-p-18317 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A042a0

Mil-std (military Standard):

Mil-s-18729 spec.