

View Online at <https://aerobasegroup.com/nsn/5340-00-611-9280>

**Mounting Hole Type:**

Plain

**First Leg Length:**

0.560 inches

**Second Leg Length:**

1.000 inches

**Second Leg Width:**

1.190 inches

**Second Leg Corner Radius:**

0.190 inches

**First Leg Hole Diameter:**

Between 0.169 inches and 0.177 inches

**Second Leg Hole Diameter:**

Between 0.108 inches and 0.114 inches

**Second Leg Distance Between Hole Centers Along Width:**

0.500 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.500 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.340 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.114 inches

**First Leg Thickness:**

0.063 inches

**Second Leg Thickness:**

0.063 inches

**First Leg Width:**

1.190 inches

**First Leg Corner Radius:**

0.190 inches

**First Leg Distance Between Hole Centers Along Width:**

0.750 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.220 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.190 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

Four holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Hole centered between 4 holes 0.438 in. Dia

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-225/8, temper t4 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.