

View Online at <https://aerobasegroup.com/nsn/5340-00-613-7283>

Fabrication Method (non-core):

Any acceptable

Mounting Hole Type:

Plain

First Leg Length:

Between 2.560 inches and 2.700 inches

Second Leg Length:

Between 2.900 inches and 2.960 inches

Second Leg Width:

Between 2.027 inches and 2.067 inches

Second Leg Corner Radius:

Between 0.200 inches and 0.220 inches

First Leg Hole Diameter:

Between 0.222 inches and 0.234 inches

Second Leg Hole Diameter:

Between 0.295 inches and 0.309 inches

Second Leg Distance Between Hole Centers Along Width:

1.627 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.200 inches and 0.220 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.200 inches and 0.220 inches

First Leg Thickness:

Between 0.082 inches and 0.098 inches

Second Leg Thickness:

Between 0.082 inches and 0.098 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.350 inches and 0.450 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.350 inches and 0.450 inches

First Leg End Radius:

Between 0.350 inches and 0.450 inches

First Leg Style:

End radius and tapered

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

One additional hole in first leg 0.218 in. Dia, 0.950 in. From bend

Material:

Steel

Material Specification:

Ams 5510 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0