

View Online at <https://aerobasegroup.com/nsn/5340-00-613-7295>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

Between 0.735 inches and 0.765 inches

**Second Leg Length:**

Between 1.050 inches and 1.110 inches

**Second Leg Width:**

1.720 inches

**Second Leg Corner Radius:**

Between 0.230 inches and 0.270 inches

**First Leg Hole Diameter:**

0.281 inches

**Second Leg Hole Diameter:**

0.228 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.220 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

Between 0.230 inches and 0.270 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.230 inches and 0.270 inches

**First Leg Thickness:**

Between 0.073 inches and 0.087 inches

**Second Leg Thickness:**

Between 0.073 inches and 0.087 inches

**First Leg Width:**

0.815 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.250 inches and 0.280 inches

**First Leg Distance From Edge To Hole Center Along Length:**

Between 0.250 inches and 0.280 inches

**First Leg End Radius:**

Between 0.250 inches and 0.280 inches

**First Leg Style:**

End radius and tapered

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Steel comp 321

**Material Specification:**

Ams 5510 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0