

View Online at <https://aerobasegroup.com/nsn/5340-00-613-7302>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

Between 0.860 inches and 0.910 inches

**Second Leg Length:**

Between 2.140 inches and 2.180 inches

**First Leg Hole Diameter:**

0.344 inches

**Second Leg Hole Diameter:**

Between 0.418 inches and 0.428 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.360 inches and 0.380 inches

**First Leg Thickness:**

Between 0.103 inches and 0.121 inches

**Second Leg Thickness:**

Between 0.103 inches and 0.121 inches

**First Leg Width:**

Between 1.845 inches and 1.895 inches

**First Leg Corner Radius:**

Between 0.300 inches and 0.320 inches

**First Leg Distance Between Hole Centers Along Width:**

Between 1.245 inches and 1.255 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.300 inches and 0.320 inches

**First Leg Distance From Edge To Hole Center Along Length:**

Between 0.300 inches and 0.320 inches

**Second Leg End Radius:**

Between 0.360 inches and 0.380 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

End radius and tapered

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Steel comp 321

**Material Specification:**

Ams 5510 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A042a0