

View Online at <https://aerobasegroup.com/nsn/5340-00-614-0018>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

0.650 inches

**Second Leg Length:**

0.810 inches

**Second Leg Width:**

1.180 inches

**First Leg Hole Diameter:**

Between 0.170 inches and 0.176 inches

**Second Leg Hole Diameter:**

Between 0.144 inches and 0.150 inches

**Second Leg Distance Between Hole Centers Along Width:**

0.870 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.375 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.160 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.150 inches

**First Leg Thickness:**

0.063 inches

**Second Leg Thickness:**

0.063 inches

**Center Section Height:**

0.380 inches

**Center Section Width:**

1.180 inches

**Center Section Thickness:**

0.063 inches

**First Leg Width:**

1.180 inches

**First Leg Distance Between Hole Centers Along Width:**

0.812 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.180 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.180 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**Material:**

Steel

**Material Specification:**

Mil-s-18729 military specification single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Qq-p-416, type 1 federal specification single treatment response

**Style Designator:**

Double angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-s-18729 spec.