

View Online at <https://aerobasegroup.com/nsn/5340-00-616-3605>

Fabrication Method (non-core):

Any acceptable

Mounting Hole Type:

Plain

First Leg Length:

Between 1.080 inches and 1.270 inches

Second Leg Length:

Between 3.050 inches and 3.110 inches

Second Leg Width:

Between 2.420 inches and 2.460 inches

First Leg Slot Length:

Between 0.420 inches and 0.460 inches

First Leg Slot Width:

Between 0.210 inches and 0.230 inches

Second Leg Hole Diameter:

Between 0.274 inches and 0.288 inches

Second Leg Distance Between Hole Centers Along Width:

1.860 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.280 inches and 0.300 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.280 inches and 0.300 inches

First Leg Thickness:

Between 0.092 inches and 0.108 inches

Second Leg Thickness:

Between 0.092 inches and 0.108 inches

First Leg Width:

Between 0.130 inches and 0.140 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.650 inches and 0.700 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.650 inches and 0.700 inches

First Leg End Radius:

Between 0.650 inches and 0.700 inches

Second Leg End Radius:

Between 0.280 inches and 0.300 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One slot

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

Between 152.0 degrees and 154.0 degrees

Material:

Stainless steel

Material Specification:

Ams 5510 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0