

View Online at <https://aerobasegroup.com/nsn/5340-00-616-5140>

**Fabrication Method (non-core):**

Stamped

**First Leg Length:**

1.190 inches

**Second Leg Length:**

1.750 inches

**Second Leg Width:**

0.500 inches

**First Leg Hole Diameter:**

Between 0.279 inches and 0.288 inches

**Second Leg Hole Diameter:**

Between 0.217 inches and 0.225 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Thickness:**

Between 0.057 inches and 0.069 inches

**Second Leg Thickness:**

Between 0.057 inches and 0.069 inches

**Center Section Height:**

0.280 inches

**Center Section Width:**

0.500 inches

**Center Section Thickness:**

Between 0.057 inches and 0.079 inches

**First Leg Width:**

0.500 inches

**First Leg Corner Radius:**

Between 0.057 inches and 0.079 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg End Radius:**

0.380 inches

**Second Leg End Radius:**

0.380 inches

**First Leg Style:**

End radius

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**Material:**

Steel comp 321

**Material Specification:**

Ams 5510 assn standard single material response

**Style Designator:**

Double angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A042a0