

View Online at <https://aerobasegroup.com/nsn/5340-00-619-3427>

First Leg Length:

2.813 inches

Second Leg Length:

3.813 inches

Reinforcement Method (non-core):

Raised center center section

Second Leg Width:

3.125 inches

First Leg Hole Diameter:

0.406 inches

Second Leg Hole Diameter:

0.406 inches

Second Leg Distance Between Hole Centers Along Length:

2.875 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.563 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.438 inches

First Leg Thickness:

0.313 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

5.125 inches

First Leg Corner Radius:

0.250 inches

First Leg Distance Between Hole Centers Along Width:

4.250 inches

First Leg Distance From Edge To Hole Center Along Width:

0.438 inches

First Leg Distance From Edge To Hole Center Along Length:

0.688 inches

Second Leg End Radius:

0.438 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius and tapered

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

First leg has wedge shape cutout 3.250 in. At the top and 2.125 in. At the bottom

Material:

Iron malleable

Material Specification:

Qq-i-666 grade 1 federal specification single material response

Surface Treatment:

Enamel

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0