

View Online at <https://aerobasegroup.com/nsn/5340-00-619-6666>

First Leg Length:

Between 0.770 inches and 0.810 inches

Second Leg Length:

Between 2.270 inches and 2.370 inches

Second Leg Width:

Between 0.550 inches and 0.570 inches

First Leg Hole Diameter:

Between 0.198 inches and 0.208 inches

Second Leg Hole Diameter:

Between 0.276 inches and 0.286 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.275 inches and 0.285 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.280 inches and 0.300 inches

First Leg Thickness:

Between 0.056 inches and 0.068 inches

Second Leg Thickness:

Between 0.056 inches and 0.068 inches

First Leg Width:

Between 0.550 inches and 0.570 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.275 inches and 0.285 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.280 inches and 0.300 inches

First Leg End Radius:

Between 0.360 inches and 0.390 inches

Second Leg End Radius:

Between 0.360 inches and 0.390 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 410

Material Specification:

Ams 5504 assn standard single material response

Style Designator:

Angle

Fsc Application Data:

Engine, acft, turbo-jet

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fii:

A042a0