

View Online at <https://aerobasegroup.com/nsn/5340-00-619-7066>

First Leg Length:

0.690 inches

Second Leg Length:

1.300 inches

Second Leg Width:

1.810 inches

Second Leg End Width:

0.810 inches

First Leg Hole Diameter:

Between 0.220 inches and 0.225 inches

Second Leg Hole Diameter:

Between 0.168 inches and 0.173 inches

Second Leg Distance Between Hole Centers Along Width:

Between 0.790 inches and 0.830 inches

Second Leg Distance Between Hole Centers Along Length:

Between 0.420 inches and 0.440 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.240 inches

First Leg Thickness:

0.050 inches

Second Leg Thickness:

0.050 inches

First Leg Width:

1.810 inches

First Leg Distance Between Hole Centers Along Width:

Between 1.040 inches and 1.080 inches

First Leg Distance From Edge To Hole Center Along Width:

0.380 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square and tapered

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Heat Treatment:

T-4 solution heat treated

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-250/5 federal specification single material response

Surface Treatment:

Paint and enamel

Surface Treatment Specification:

Tt-p-666 federal specification 1st treatment response and tt-e-489 federal specification 2nd treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0