NSN 5340-00-619-7066

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-619-7066 First Leg Length: 0.690 inches Second Leg Length: 1.300 inches Second Leg Width: 1.810 inches Second Leg End Width: 0.810 inches First Leg Hole Diameter: Between 0.220 inches and 0.225 inches Second Leg Hole Diameter: Between 0.168 inches and 0.173 inches Second Leg Distance Between Hole Centers Along Width: Between 0.790 inches and 0.830 inches Second Leg Distance Between Hole Centers Along Length: Between 0.420 inches and 0.440 inches Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches Second Leg Distance From Edge To Hole Center Along Length: 0.240 inches First Leg Thickness: 0.050 inches Second Leg Thickness: 0.050 inches First Leg Width: 1.810 inches First Leg Distance Between Hole Centers Along Width: Between 1.040 inches and 1.080 inches First Leg Distance From Edge To Hole Center Along Width: 0.380 inches First Leg Distance From Edge To Hole Center Along Length: 0.250 inches First Leg Style: Square First Leg Hole Arrangement Style: Two holes Second Leg Style: Square and tapered

Second Leg Hole Arrangement Style: Four holes

Second Leg Relationship To First Leg:

Not identical

NSN 5340-00-619-7066 Angle Bracket - Page 2 of 2



First Leg Angle:	
90.0 degrees	
Heat Treatment:	
T-4 solution heat treated	
Material:	
Aluminum alloy 2024	
Material Specification:	
Qq-a-250/5 federal specification single material response	
Surface Treatment:	
Paint and enamel	
Surface Treatment Specification:	
Tt-p-666 federal specification 1st treatment response and tt-e-489 federal specification 2nd treatment response	
Style Designator:	
Angle	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A042a0	