

View Online at <https://aerobasegroup.com/nsn/5340-00-627-7606>

**Fabrication Method (non-core):**

Forged

**First Leg Length:**

0.451 inches

**Second Leg Length:**

0.562 inches

**Second Leg Width:**

0.438 inches

**First Leg Hole Diameter:**

Between 0.217 inches and 0.225 inches

**Second Leg Hole Diameter:**

Between 0.278 inches and 0.288 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Thickness:**

Between 0.058 inches and 0.068 inches

**Second Leg Thickness:**

Between 0.058 inches and 0.068 inches

**First Leg Width:**

0.438 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.219 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg End Radius:**

0.500 inches

**Second Leg End Radius:**

0.500 inches

**First Leg Style:**

End radius

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

110.844 degrees

**Heat Treatment:**

Annealed

**Material:**

Steel comp 4130

**Material Specification:**

Mil-s-18729 military specification single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Ams 2400 assn standard single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-s-18729 spec.