## NSN 5340-00-630-2230



Double Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-00-630-2230 First Leg Length: 1.000 inches Second Leg Length: 0.700 inches First Leg Hole Diameter: Between 0.208 inches and 0.218 inches First Leg Thickness: Between 0.028 inches and 0.036 inches Second Leg Thickness: 0.029 inches **Center Section Height:** 1.750 inches **Center Section Width:** 0.888 inches **Center Section Thickness:** 0.120 inches First Leg Width: 0.880 inches First Leg Corner Radius: 0.801 inches First Leg Distance Between Lower Hole Centers Along Width: 1.250 inches First Leg Distance Between Hole Centers Along Length: 2.500 inches First Leg Distance Between First And Second Hole Centers Along Width: 0.450 inches First Leg Distance From Edge To Hole Center Along Width: 0.440 inches First Leg Distance From Edge To Hole Center Along Length: 0.250 inches First Leg Style: Corner radius First Leg Hole Arrangement Style: Three holes Second Leg Relationship To First Leg: Identical First Leg Angle: 66.0 degrees Second Leg Angle: 50.0 degrees

Material:

Steel comp 304

## NSN 5340-00-630-2230

Double Angle Bracket - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A042a0