NSN 5340-00-633-7959

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-633-7959

Fabrication Method (non-core):

Machined

First Leg Length:

Between 0.910 inches and 0.940 inches

Second Leg Length:

Between 3.004 inches and 3.056 inches

Second Leg Width:

Between 1.490 inches and 1.510 inches

First Leg Hole Diameter:

Between 0.339 inches and 0.349 inches

Second Leg Hole Diameter:

Between 0.216 inches and 0.226 inches

Second Leg Distance Between Hole Centers Along Length:

Between 2.160 inches and 2.200 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.320 inches and 0.370 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.234 inches and 0.266 inches

First Leg Thickness:

Between 0.056 inches and 0.068 inches

Second Leg Thickness:

Between 0.056 inches and 0.068 inches

First Leg Width:

Between 1.689 inches and 1.749 inches

First Leg Corner Radius:

Between 0.300 inches and 0.330 inches

First Leg Distance Between Hole Centers Along Width:

1.089 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.300 inches and 0.330 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.300 inches and 0.330 inches

Second Leg End Radius:

Between 0.234 inches and 0.266 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius and tapered

Second Leg Hole Arrangement Style:

Two holes

NSN 5340-00-633-7959 Angle Bracket - Page 2 of 2



Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Material:
Steel comp 410
Material Specification:
Ams 5504 assn standard single material response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A042a0