

View Online at <https://aerobasegroup.com/nsn/5340-00-649-6858>

First Leg Length:

0.562 inches

Second Leg Length:

1.500 inches

Second Leg Width:

1.609 mils and 1.641 centimeters

Second Leg Corner Radius:

Between 0.109 inches and 0.141 inches

First Leg Slot Length:

0.437 inches

First Leg Slot Width:

0.125 inches

Second Leg Hole Diameter:

0.144 mils and 0.149 centimeters

Second Leg Distance Between Hole Centers Along Width:

2.375 inches

Second Leg Distance Between Hole Centers Along Length:

0.750 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.187 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Thickness:

Between 0.045 inches and 0.055 inches

Second Leg Thickness:

Between 0.045 inches and 0.055 inches

First Leg Width:

1.625 inches

First Leg Corner Radius:

0.125 inches

First Leg Distance From Edge To Hole Center Along Length:

0.313 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

One slot

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

First leg has two slotted holes equally spaced, second leg has rectangle hole in center

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8, h32 federal specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0