

View Online at <https://aerobasegroup.com/nsn/5340-00-657-9595>

Fabrication Method (non-core):

Stamped

First Leg Length:

0.810 inches

Second Leg Length:

0.860 inches

Second Leg Width:

0.620 inches

First Leg Hole Diameter:

Between 0.195 inches and 0.203 inches

Second Leg Hole Diameter:

Between 0.195 inches and 0.203 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.310 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.310 inches

First Leg Thickness:

0.063 inches

Second Leg Thickness:

0.063 inches

Center Section Height:

1.800 inches

Center Section Width:

0.620 inches

Center Section Thickness:

0.063 inches

First Leg Width:

0.620 inches

First Leg Distance From Edge To Hole Center Along Width:

0.310 inches

First Leg Distance From Edge To Hole Center Along Length:

0.310 inches

First Leg End Radius:

0.310 inches

Second Leg End Radius:

0.310 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

140.0 degrees

Material:

Steel

Material Specification:

Mil-s-18729, cond n military specification single material response

Surface Treatment:

Cadmium

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-s-18729 spec.