

View Online at <https://aerobasegroup.com/nsn/5340-00-658-4976>

Mounting Hole Type:

Plain and threaded

First Leg Length:

0.406 inches

Second Leg Length:

0.891 inches

Second Leg Width:

1.375 inches

Second Leg Hole Diameter:

0.164 inches

Second Leg Distance Between Lower Hole Centers Along Width:

1.000 inches

Second Leg Distance Between Hole Centers Along Length:

0.375 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.188 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.188 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

Center Section Height:

0.750 inches

Center Section Thickness:

0.125 inches

First Leg Width:

0.438 inches

First Leg Corner Radius:

0.062 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

No hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Iron

Surface Treatment:

Phosphate manganese

Surface Treatment Specification:

Mil-p-16232 type m class 2 military specification single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-p-16232 spec.