

View Online at <https://aerobasegroup.com/nsn/5340-00-658-6471>

Fabrication Method (non-core):

Machined

First Leg Length:

0.750 inches

Second Leg Length:

0.812 inches

Second Leg Width:

1.875 inches

Second Leg End Width:

1.500 inches

First Leg Hole Diameter:

0.098 inches

Second Leg Hole Diameter:

0.098 inches

Second Leg Distance Between Hole Centers Along Width:

1.125 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.375 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.415 inches

First Leg Thickness:

0.049 inches

Second Leg Thickness:

0.049 inches

First Leg Width:

1.875 inches

First Leg Distance Between First And Second Hole Centers Along Width:

0.750 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.312 inches

First Leg Distance From Edge To Hole Center Along Length:

0.273 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

Square and tapered

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

88.0 degrees

Material:

Steel comp 4130

Material Specification:

Mil-s-18729 military specification single material response

Surface Treatment:

Paint

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-s-18729 spec.