## NSN 5340-00-659-2844

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-659-2844
Second Leg Width:
0.800 inches
First Leg Hole Diameter:
Between 0.281 inches and 0.307 inches
Second Leg Hole Diameter:
Between 0.218 inches and 0.228 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.400 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.400 inches
First Leg Thickness:
0.050 inches
Second Leg Thickness:
0.050 inches
Center Section Width:
0.800 inches
Center Section Thickness:
0.050 inches
First Leg Width:
0.800 inches
First Leg Distance From Edge To Hole Center Along Width:
0.400 inches
First Leg Distance From Edge To Hole Center Along Length:
0.400 inches
First Leg End Radius:
0.400 inches
Second Leg End Radius:
0.400 inches
First Leg Style:
End radius
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
End radius
Second Leg Hole Arrangement Style:
One hole
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Second Leg Angle:

90.0 degrees

## NSN 5340-00-659-2844

Double Angle Bracket - Page 2 of 2



Heat Treatment:
Cold worked
Material:
Steel comp 301
Material Specification:
Mil-s-5059 military specification single material response
Style Designator:
Double angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):

Mil-s-5059 spec.