

View Online at <https://aerobasegroup.com/nsn/5340-00-663-2986>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

0.860 inches

**Second Leg Length:**

1.320 inches

**Second Leg Width:**

0.600 inches

**First Leg Hole Diameter:**

0.219 inches

**Second Leg Hole Diameter:**

0.343 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.300 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.010 inches

**First Leg Thickness:**

0.062 inches

**Second Leg Thickness:**

0.062 inches

**First Leg Width:**

Between 0.590 inches and 0.610 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.300 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.415 inches

**First Leg End Radius:**

Between 0.422 inches and 0.453 inches

**Second Leg End Radius:**

Between 0.422 inches and 0.453 inches

**First Leg Style:**

End radius

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

Between 0.047 degrees and 0.078 degrees

**Material:**

Steel comp 8630

**Material Specification:**

Fed-std-66 federal standard single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Ams 2400 assn standard single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0