## NSN 5340-00-664-7995

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-664-7995

First Leg Length:
0.625 inches
Second Leg Length:
0.630 inches
Second Leg Width:
1.250 inches
Second Leg Corner Radius:
0.250 inches
First Leg Hole Diameter:
0.200 inches
Second Leg Hole Diameter:
0.204 inches
Second Leg Distance Between Hole Centers Along Width:
0.750 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.250 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.250 inches
First Leg Thickness:
0.063 inches
Second Leg Thickness:
0.063 inches
First Leg Width:
1.250 inches
First Leg Corner Radius:
0.250 inches
First Leg Distance Between Hole Centers Along Width:
0.750 inches
First Leg Distance From Edge To Hole Center Along Width:
0.250 inches
First Leg Distance From Edge To Hole Center Along Length:
0.250 inches
First Leg Style:
Corner radius
First Leg Hole Arrangement Style:
Two holes
Second Leg Style:
Corner radius
Second Leg Hole Arrangement Style:
Two holes
Second Leg Relationship To First Leg:
Not identical

## NSN 5340-00-664-7995

Angle Bracket - Page 2 of 2



## First Leg Angle: 90.0 degrees

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-250/5, alclad t4 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

---

## Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-a-8625 spec.