## NSN 5340-00-664-9863



Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-00-664-9863 First Leg Length: 3.000 inches Second Leg Length: 3.000 inches Second Leg Width: 3.750 inches First Leg Hole Diameter: Between 0.401 inches and 0.411 inches Second Leg Hole Diameter: 0.812 inches Second Leg Distance From Edge To Hole Center Along Width: 1.875 inches **Second Leg Distance From Edge To Hole Center Along Length:** 1.500 inches First Leg Thickness: 0.500 inches Second Leg Thickness: 0.500 inches First Leg Width: 3.750 inches First Leg Distance Between Upper Hole Centers Along Width: 2.500 inches First Leg Distance Between Hole Centers Along Length: 0.875 inches First Leg Distance Between First And Second Hole Centers Along Width: 1.250 inches First Leg Distance From Edge To Hole Center Along Width: 0.625 inches First Leg Distance From Edge To Hole Center Along Length: 0.625 inches First Leg Style: Square First Leg Hole Arrangement Style: Three holes Second Leg Style: Square **Second Leg Hole Arrangement Style:** One hole Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

## **NSN 5340-00-664-9863** Angle Bracket - Page 2 of 2

Fiig: A042a0



Material:
Steel comp 1020
Material Specification:
Qq-s-741 federal specification single material response or qq-s-635 federal specification single material response
Surface Treatment:
Primer or cadmium or zinc
Surface Treatment Specification:
Tt-p-636 federal specification single treatment response or qq-p-416, type2, class3 federal specification single treatment response or
qq-z-325, type2, class3 federal specification single treatment response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
<del>-</del>
Demilitarization:
No