

View Online at <https://aerobasegroup.com/nsn/5340-00-664-9863>

**First Leg Length:**

3.000 inches

**Second Leg Length:**

3.000 inches

**Second Leg Width:**

3.750 inches

**First Leg Hole Diameter:**

Between 0.401 inches and 0.411 inches

**Second Leg Hole Diameter:**

0.812 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.875 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.500 inches

**First Leg Thickness:**

0.500 inches

**Second Leg Thickness:**

0.500 inches

**First Leg Width:**

3.750 inches

**First Leg Distance Between Upper Hole Centers Along Width:**

2.500 inches

**First Leg Distance Between Hole Centers Along Length:**

0.875 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

1.250 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.625 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.625 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Three holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Steel comp 1020

**Material Specification:**

Qq-s-741 federal specification single material response or qq-s-635 federal specification single material response

**Surface Treatment:**

Primer or cadmium or zinc

**Surface Treatment Specification:**

Tt-p-636 federal specification single treatment response or qq-p-416, type2, class3 federal specification single treatment response or qq-z-325, type2, class3 federal specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0