

View Online at <https://aerobasegroup.com/nsn/5340-00-689-6218>

Fabrication Method (non-core):

Stamped

First Leg Length:

1.500 inches

Second Leg Length:

1.500 inches

Second Leg Width:

3.500 inches

Second Leg End Width:

3.047 inches

Second Leg Hole Diameter:

Between 0.280 inches and 0.287 inches

Second Leg Distance Between Hole Centers Along Width:

2.590 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.440 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.810 inches

First Leg Thickness:

0.196 inches

Second Leg Thickness:

0.196 inches

First Leg Width:

3.500 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

No hole

Second Leg Style:

Square and tapered

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Second leg tapered 7 to 9 degrees both ends

Heat Treatment:

T-4 solution heat treated

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-200/3 federal specification single material response or qq-a-200/13 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-std-171, fn 7.2.1 or 7.3.1 military standard single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-std-171 spec.