## NSN 5340-00-700-0122

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-700-0122

**Fabrication Method (non-core):** 

Machined

First Leg Length:

Between 0.611 inches and 0.671 inches

Second Leg Length:

Between 0.768 inches and 0.881 inches

Second Leg Width:

Between 2.507 inches and 2.570 inches

**Second Leg Corner Radius:** 

Between 0.281 inches and 0.344 inches

First Leg Hole Diameter:

Between 0.198 inches and 0.208 inches

Second Leg Hole Diameter:

Between 0.339 inches and 0.349 inches

Second Leg Distance Between Hole Centers Along Width:

2.226 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.281 inches and 0.344 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.281 inches and 0.344 inches

First Leg Thickness:

Between 0.057 inches and 0.067 inches

Second Leg Thickness:

Between 0.057 inches and 0.067 inches

**Center Section Height:** 

Between 1.107 inches and 1.137 inches

**Center Section Width:** 

0.500 inches

**Center Section Thickness:** 

Between 0.057 inches and 0.067 inches

First Leg Width:

Between 0.560 inches and 0.640 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.240 inches and 0.260 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.240 inches and 0.260 inches

First Leg End Radius:

Between 0.280 inches and 0.320 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

## **NSN 5340-00-700-0122**Double Angle Bracket - Page 2 of 2



Second Leg Style:	
Corner radius	
Second Leg Hole Arrangement Style:	
Two holes	
Second Leg Relationship To First Leg:	
Not identical	
First Leg Angle:	
90.0 degrees	
Second Leg Angle:	
90.0 degrees	
Material:	
Steel comp 410	
Material Specification:	
Ams 5504 assn standard single material response	
Style Designator:	
Double angle	
Shelf Life:	
N/a	
Unit Of Measure:	
-	
Demilitarization:	
No	
Fiig:	
A042a0	