

View Online at <https://aerobasegroup.com/nsn/5340-00-700-0417>

**Fabrication Method (non-core):**

Machined

**Mounting Hole Type:**

Plain and countersunk

**First Leg Length:**

0.875 inches

**Second Leg Length:**

1.375 inches

**Second Leg Width:**

3.125 inches

**Second Leg End Width:**

2.500 inches

**First Leg Hole Diameter:**

0.281 inches

**Second Leg Hole Diameter:**

0.266 inches

**Second Leg Distance Between Hole Centers Along Width:**

2.000 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.562 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.375 inches

**First Leg Thickness:**

0.188 inches

**Second Leg Thickness:**

0.188 inches

**First Leg Width:**

3.125 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

1.000 inches

**First Leg Distance Between Second And Third Hole Centers Along Width:**

1.000 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.562 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.312 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Three holes

**Second Leg Style:**

Square and tapered

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Steel comp 1020

**Material Specification:**

Qq-s-633, cond hr federal specification single material response

**Surface Treatment:**

Cadmium and chromate and enamel

**Surface Treatment Specification:**

Qq-p-416, type 2, class 2 federal specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0