

View Online at <https://aerobasegroup.com/nsn/5340-00-700-0417>

Fabrication Method (non-core):

Machined

Mounting Hole Type:

Plain and countersunk

First Leg Length:

0.875 inches

Second Leg Length:

1.375 inches

Second Leg Width:

3.125 inches

Second Leg End Width:

2.500 inches

First Leg Hole Diameter:

0.281 inches

Second Leg Hole Diameter:

0.266 inches

Second Leg Distance Between Hole Centers Along Width:

2.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.562 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.375 inches

First Leg Thickness:

0.188 inches

Second Leg Thickness:

0.188 inches

First Leg Width:

3.125 inches

First Leg Distance Between First And Second Hole Centers Along Width:

1.000 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

1.000 inches

First Leg Distance From Edge To Hole Center Along Width:

0.562 inches

First Leg Distance From Edge To Hole Center Along Length:

0.312 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

Square and tapered

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 1020

Material Specification:

Qq-s-633, cond hr federal specification single material response

Surface Treatment:

Cadmium and chromate and enamel

Surface Treatment Specification:

Qq-p-416, type 2, class 2 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0