## NSN 5340-00-703-2644

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-703-2644

Fabrication Method (non-core):
Stamped
First Leg Length:
1.719 inches
Second Leg Length:
2.032 inches
Second Leg Width:
1.250 inches
First Leg Hole Diameter:
0.625 inches
Second Leg Hole Diameter:
0.344 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.625 inches
Second Leg Distance From Edge To Hole Center Along Length:
1.063 inches
First Leg Thickness:
0.120 inches
Second Leg Thickness:
0.120 inches
Center Section Height:
3.000 inches
Center Section Width:
1.250 inches
Center Section Thickness:
0.120 inches
First Leg Width:
1.250 inches
First Leg Distance From Edge To Hole Center Along Width:
0.625 inches
First Leg Distance From Edge To Hole Center Along Length:
0.562 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
Extended hook
Second Leg Hole Arrangement Style:
One hole
Second Leg Relationship To First Leg:
Not identical

## NSN 5340-00-703-2644

Double Angle Bracket - Page 2 of 2



First Leg Angle:
102.0 degrees
Second Leg Angle:
90.0 degrees
Special Features:
Second leg extended hook cutaway to 0.343 in. Wide by 0.718 in. Deep
Material:
Steel comp 1006
Material Specification:
Mil-s-11310 military specification single material response
Style Designator:
Double angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):
Mil-s-11310 spec.