

View Online at <https://aerobasegroup.com/nsn/5340-00-709-8597>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

0.680 inches

**Second Leg Length:**

1.050 inches

**Second Leg Width:**

2.476 inches

**Second Leg Corner Radius:**

0.250 inches

**First Leg Hole Diameter:**

Between 0.278 inches and 0.291 inches

**Second Leg Hole Diameter:**

Between 0.278 inches and 0.291 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.976 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.420 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Thickness:**

Between 0.052 inches and 0.069 inches

**Second Leg Thickness:**

Between 0.052 inches and 0.069 inches

**Center Section Height:**

2.283 inches

**Center Section Width:**

3.025 inches

**Center Section Thickness:**

Between 0.052 inches and 0.069 inches

**First Leg Width:**

3.025 inches

**First Leg Corner Radius:**

0.300 inches

**First Leg Distance Between Hole Centers Along Width:**

2.425 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.300 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.300 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**Second Leg Angle:**

135.0 degrees

**First Leg Offset Angle:**

135.0 degrees

**Second Leg Offset Angle:**

135.0 degrees

**Material:**

Steel comp 410

**Material Specification:**

Ams 5504 assn standard single material response

**Style Designator:**

Offset double angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0