

View Online at <https://aerobasegroup.com/nsn/5340-00-709-8597>

Fabrication Method (non-core):

Machined

First Leg Length:

0.680 inches

Second Leg Length:

1.050 inches

Second Leg Width:

2.476 inches

Second Leg Corner Radius:

0.250 inches

First Leg Hole Diameter:

Between 0.278 inches and 0.291 inches

Second Leg Hole Diameter:

Between 0.278 inches and 0.291 inches

Second Leg Distance Between Hole Centers Along Width:

1.976 inches

Second Leg Distance Between Hole Centers Along Length:

0.420 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.250 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Thickness:

Between 0.052 inches and 0.069 inches

Second Leg Thickness:

Between 0.052 inches and 0.069 inches

Center Section Height:

2.283 inches

Center Section Width:

3.025 inches

Center Section Thickness:

Between 0.052 inches and 0.069 inches

First Leg Width:

3.025 inches

First Leg Corner Radius:

0.300 inches

First Leg Distance Between Hole Centers Along Width:

2.425 inches

First Leg Distance From Edge To Hole Center Along Width:

0.300 inches

First Leg Distance From Edge To Hole Center Along Length:

0.300 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

Second Leg Angle:

135.0 degrees

First Leg Offset Angle:

135.0 degrees

Second Leg Offset Angle:

135.0 degrees

Material:

Steel comp 410

Material Specification:

Ams 5504 assn standard single material response

Style Designator:

Offset double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0